Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 1 / 11 Replaced revision:9 (Dated 11/10/2021) ΕN

300 ml FA00811 - Deodorante Ambiente

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier 300 ml FA00811 Code. Product name **Deodorante Ambiente** UFI · 9N72-E0CN-7006-497H 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Deodorante Ambiente 300 ml FRESH AROMA 1.3. Details of the supplier of the safety data sheet Name BM srl Full address Via Santa Maria del Monte 522-550 District and Country 47835 Saludecio (Rimini) Italia 0039 0541 869011 Tel. 0039 0541 869556 Fax e-mail address of the competent person responsible for the Safety Data Sheet regulatory.bmsrl@gmail.com Supplier: BM srl 1.4. Emergency telephone number BM SRL : Tel. 0039-0541-869011 For urgent inquiries refer to Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca' Granda -Milano) (H24) Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberto I - Roma) Centro Antiveleni di Napoli 081 7472870 (CAV Ospedale Cardarelli - Napoli)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:		
Aerosol, category 2	H223	Flammable aerosol.
	H229	Pressurised container: may burst if heated.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

300 ml FA00811 - Deodorante Ambiente

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 2 / 11 Replaced revision:9 (Dated 11/10/2021)

SECTION 2. Hazards identification ... / >>

Hazard statements: H223 H229 EUH208	Flammable aerosol. Pressurised container: may burst if heated. Contains: Geraniol May produce an allergic reaction.
Precautionary statements:	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F.
P211	Do not spray on an open flame or other ignition source.

Keep out of reach of children.

2.3. Other hazards

P102

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$.

SECTION 3. Composition/information on ingredients

Isobutano

Non contiene 1.3 butadiene in quantità superiore a 0,1%.

3.2. Mixtures

Contains:

Butano CAS $106-97-8$ $9 \le x < 12$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: UEC $203-448-7$ $501-004-00-0$ $REACH Reg.01-2119474691-32-XXXXIsobutanoCAS75-28-57 \le x < 9Flam. Gas 1A H220, Press. Gas H280, Classification note according to AnnexCAS75-28-57 \le x < 9Flam. Gas 1A H220, Press. Gas H280, Classification note according to AnnexVI to the CLP Regulation: C, UEC200-857-2INDEX601-004-00-0REACH Reg.01-2119485395-27-XXXXPROPANECAS7-98-65 \le x < 7CAS74-98-65 \le x < 7Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according toAnnex VI to the CLP Regulation: C, UEC200-827-9NDEX601-003-00-5INDEX601-003-00-5s \le x < 7Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according toAnnex VI to the CLP Regulation: UEC200-827-9NDEX601-003-00-5INDEX601-003-00-5s \le x < 0.35E20-827-9NDEXSODIUM NITUREX0.15 \le x < 0.2p = Irrit. 2 H319EC208-534-8NDEXNDEX7520-000.15 \le x < 0.2CAS7632-00-00.15 \le x < 0.2DIMDEX231-555-9NDEXSODIUM NITUREXNDEX07-010-00-4EC231-555-9NDEXNDEX07-010-00-4$	Identification		x = Conc. %	Classification (EC) 1272/2008 (CLP)
Annex VI to the CLP Regulation: UEC $203-448-7$ INDEX $601-004-00-0$ REACH Reg. $01-2119474691-32-XXXX$ IsobutanoCAS $75-28-5$ $7 \le x < 9$ CAS $75-28-5$ $7 \le x < 9$ Flam. Gas 1A H220, Press. Gas H280, Classification note according to Annex VI to the CLP Regulation: C, UEC $200-857-2$ INDEX $601-004-00-0$ REACH Reg. $01-2119485395-27-XXXX$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: UEC $200-827-9$ INDEX $601-003-00-5$ INDEX $601-003-00-5$ REACH Reg. $01-2119486944-21-XXXX$ SODIUM BENZOATECAS $532\cdot32-1$ $0.3 \le x < 0.35$ Eye Irrit. 2 H319EC $208-534-8$ INDEXSool $0.15 \le x < 0.2$ Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1M=1EC $231-555-9$ LD50 Oral: 180 mg/kg				
EC $203-448-7$ INDEX $601-004-00-0$ REACH Reg. $01-2119474691-32-XXXX$ Isobutano CAS $75-28-5$ $7 \le x < 9$ Flam. Gas 1A H220, Press. Gas H280, Classification note according to Annex VI to the CLP Regulation: C, U EC $200-857-2$ INDEX $601-004-00-0$ REACH Reg. $01-2119485395-27-XXXX$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: C, U EC $200-827-9$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC $200-827-9$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC $200-827-9$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC $200-827-9$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC $200-827-9$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC $200-827-9$ Gas 12 H27, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 INDEX $502-00-0$ $0.15 \le x < 0.2$ Ox. Sol. 2	CAS	106-97-8	9≤x< 12	
REACH Reg. 01-2119474691-32-XXXX Isobutano CAS 75-28-5 7 \leq x < 9 Flam. Gas 1A H220, Press. Gas H280, Classification note according to Annex VI to the CLP Regulation: C, U EC 200-857-2 INDEX 601-004-00-0 REACH Reg. 01-2119485395-27-XXXX PROPANE CAS 74-98-6 5 \leq x < 7 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 EV Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 EV Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 0.3 \leq x < 0.35 EV EV	EC	203-448-7		Ū
IsobutanoIsobutanoCAS $75-28-5$ $7 \le x < 9$ Flam. Gas 1A H220, Press. Gas H280, Classification note according to Annex VI to the CLP Regulation: C, UEC $200-857-2$ INDEX $601-004-00-0$ REACH Reg. $01-2119485395-27-XXXX$ PROPANE CAS CAS $74-98-6$ $5 \le x < 7$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: UEC $200-827-9$ INDEX $601-003-00-5$ REACH Reg. $01-2119486944-21-XXXX$ SODIUM BENZOATE CAS CAS $532-32-1$ $0,3 \le x < 0,35$ Eye Irrit. 2 H319EC $208-534-8$ INDEX $O20-534-8$ INDEX $SODIUM NITRITE$ CAS $7632-00-0$ $0,15 \le x < 0,2$ $Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400M=1EC231-555-9LD50 Oral: 180 mg/kg$	INDEX	601-004-00-0		
EC 200-857-2 VI to the CLP Regulation: C, U INDEX 601-004-00-0 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U CAS 74-98-6 $5 \le x < 7$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 NDEX 601-003-00-5 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 INDEX 601-003-00-5 Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 Index solution: U Evelocity of the CLP Regulation: U EC 200-827-9 Evelocity of the CLP Regulation: U Evelocity of the CLP Regulation: U EC 200-827-9 Evelocity of the CLP Regulation: U Evelocity of the CLP Regulation: U EC 201-2119486944-21-XXXX Solution Intervention of the CLP Regulation: U Evelocity of the CLP Regulation: U SODIUM BENZCOATE Evelocity of the CLP Regulation: U Evelocity of the CLP Regulation: U Evelocity of the CLP Regulation: U EC 208-534-8 0.3 $\le x < 0.35$ Evelocity of the CLP Regulation: U Evelocity of the CLP Regulation: U <td>•</td> <td>01-2119474691-3</td> <td>32-XXXX</td> <td></td>	•	01-2119474691-3	32-XXXX	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	CAS	75-28-5	7≤x< 9	
REACH Reg. 01-2119485395-27-XXXX PROPANE CAS 74-98-6 $5 \le x < 7$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 INDEX 601-003-00-5 REACH Reg. 01-2119486944- 01-2119486944-21-XXXX SODIUM BENZOATE Exe Eye Irrit. 2 H319 Eye Irrit. 2 H319 EC 208-534-8 O,3 ≤ x < 0,35 Eye Irrit. 2 H319 INDEX SODIUM NITRITE CAS 7632-00-0 0,15 ≤ x < 0,2 Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1 LD50 Oral: 180 mg/kg	EC	200-857-2		
PROPANE CAS 74-98-6 $5 \le x < 7$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 INDEX 601-003-00-5 INDEX 601-003-00-5 REACH Reg. 01-2119486944-21-XXXX SODIUM BENZOATE 0.3 $\le x < 0.35$ Eye Irrit. 2 H319 EC 208-534-8	INDEX	601-004-00-0		
CAS 74-98-6 $5 \le x < 7$ Flam. Gas 1A H220, Press. Gas (Liq.) H280, Classification note according to Annex VI to the CLP Regulation: U EC 200-827-9 INDEX 601-003-00-5 Regulation: U INDEX 601-003-00-5 REACH Reg. 01-2119486944-21-XXXX Feature Sophia State Feature Sophia State Feature Feature Feature Feature Feature Sophia State Sophia State<	REACH Reg.	01-2119485395-2	27-XXXX	
EC 200-827-9 INDEX 601-003-00-5 REACH Reg. 01-2119486944-21-XXXX SODIUM BENZOATE Eve Irrit. 2 H319 EC 208-534-8 INDEX SODIUM NITRITE CAS 7632-00-0 0,15 $\leq x < 0,2$ Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1 EC 231-555-9	PROPANE			
INDEX 601-003-00-5 REACH Reg. 01-2119486944-21-XXXX SODIUM BENZOATE Eye Irrit. 2 H319 CAS 532-32-1 $0,3 \le x < 0,35$ Eye Irrit. 2 H319 EC 208-534-8 INDEX SODIUM NITRITE CAS 7632-00-0 $0,15 \le x < 0,2$ Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 EC 231-555-9 LD50 Oral: 180 mg/kg	CAS	74-98-6	5≤x< 7	
REACH Reg. 01-2119486944- 01-2119486944-21-XXXX SODIUM BENZOATE CAS 532-32-1 $0,3 \le x < 0,35$ Eye Irrit. 2 H319 EC 208-534-8 INDEX SODIUM NITRITE CAS 7632-00-0 $0,15 \le x < 0,2$ Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1 EC 231-555-9 LD50 Oral: 180 mg/kg	EC	200-827-9		·
$01-2119486944-21-XXXX$ SODIUM BENZOATE CAS $532-32-1$ $0,3 \le x < 0,35$ EC $208-534-8$ INDEX SODIUM NITRITE CAS $7632-00-0$ $0,15 \le x < 0,2$ Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1 EC $231-555-9$	INDEX	601-003-00-5		
SODIUM BENZOATE CAS $532-32-1$ $0,3 \le x < 0,35$ Eye Irrit. 2 H319 EC $208-534-8$ INDEX SODIUM NITRITE CAS $7632-00-0$ $0,15 \le x < 0,2$ Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 $M=1$ EC $231-555-9$ LD50 Oral: 180 mg/kg	REACH Reg.	01-2119486944-		
CAS $532-32-1$ $0,3 \le x < 0,35$ Eye Irrit. 2 H319 EC $208-534-8$ INDEX SODIUM NITRITE CAS $7632-00-0$ $0,15 \le x < 0,2$ Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 EC $231-555-9$ LD50 Oral: 180 mg/kg		01-2119486944-2	21-XXXX	
EC 208-534-8 INDEX SODIUM NITRITE CAS 7632-00-0 0,15 ≤ x < 0,2	SODIUM BEN	IZOATE		
INDEX SODIUM NITRITE CAS 7632-00-0 0,15 ≤ x < 0,2		532-32-1	0,3 ≤ x < 0,35	Eye Irrit. 2 H319
SODIUM NITRITE CAS 7632-00-0 0,15 ≤ x < 0,2		208-534-8		
CAS 7632-00-0 0,15 ≤ x < 0,2 Ox. Sol. 2 H272, Acute Tox. 3 H301, Eye Irrit. 2 H319, Aquatic Acute 1 H400 EC 231-555-9 DSO Oral: 180 mg/kg				
M=1 EC 231-555-9 LD50 Oral: 180 mg/kg				
	CAS	7632-00-0	0,15 ≤ x < 0,2	
INDEX 007-010-00-4	EC	231-555-9		LD50 Oral: 180 mg/kg
	INDEX	007-010-00-4		

300 ml FA00811 - Deodorante Ambiente

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 3 / 11 Replaced revision:9 (Dated 11/10/2021) ΕN

SECTION 3. Composition/information on ingredients/>>

Geraniol

 CAS
 106-24-1
 0 ≤ x < 0,05</th>
 Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317

 EC
 203-377-1

 INDEX

 REACH Reg.
 01-2119552430-49-0000

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants. Percentage of propellants: 25,00 %

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately. INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

6.2. Environmental precautions

Do not disperse in the environment.

6.3. Methods and material for containment and cleaning up

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 4 / 11 Replaced revision:9 (Dated 11/10/2021) ΕN

300 ml FA00811 - Deodorante Ambiente

SECTION 6. Accidental release measures ... / >>

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α` 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ ''σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιγόνους παράγοντες κατά την εργασία''»
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy

				PR	OPANE	
nreshold Limit V	alue					
Туре	Country	TWA/8h		STEL/15	min	Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	1800	1000	7200	4000	
MAK	DEU	1800	1000	7200	4000	
VLA	ESP		1000			
TLV	GRC	1800	1000			
NDS/NDSCh	POL	1800				
	Type AGW MAK VLA TLV	AGW DEU MAK DEU VLA ESP TLV GRC	Type Country TWA/8h mg/m3 AGW DEU 1800 MAK DEU 1800 VLA ESP TLV	Type Country TWA/8h mg/m3 ppm AGW DEU 1800 1000 MAK DEU 1800 1000 VLA ESP 1000 TLV GRC 1800 1000	Treshold Limit Value Type Country TWA/8h STEL/15 mg/m3 ppm mg/m3 AGW DEU 1800 1000 7200 MAK DEU 1800 1000 7200 VLA ESP 1000 1000 TLV GRC 1800 1000	Type Country TWA/8h STEL/15min mg/m3 ppm mg/m3 ppm AGW DEU 1800 1000 7200 4000 MAK DEU 1800 1000 7200 4000 VLA ESP 1000 7200 4000 TLV GRC 1800 1000 1000

300 ml FA00811 - Deodorante Ambiente

ΕN

SECTION 8. Exposure controls/personal protection ... / >>

				SODIUM	BENZOATE				
Threshold Lim	it Value								
Туре	Country	TWA/8h		STEL/15	min	Remarks / Ol	oservations		
		mg/m3	ppm	mg/m3	ppm				
AGW	DEU	2		10		INHAL			
AGW	DEU	2		10		SKIN			
Predicted no-e	ffect concentration	ation - PNEC	;						
Normal value	e in fresh water						0,13	mg/l	
Normal value	e in marine wat	er					0,013	mg/l	
Normal value	e for fresh wate	r sediment					1,76	mg/kg	
Normal value	e for marine wa	ter sediment					0,176	mg/kg	
Normal value	e for water, inte	rmittent relea	ase				0,305	mg/l	
Normal value	e of STP micro	organisms					10	mg/l	
Normal value	e for the terrest	rial compartn	nent				0,276	mg/kg	
Health - Derive	ed no-effect lev	el - DNEL / I	DMEL						
	Effe	ects on consu	mers			Effects on worl	kers		
Route of exp	osure Acu	ite Acu	ite	Chronic	Chronic	Acute local	Acute	Chronic	Chronic
	loca	al syst	temic	local	systemic		systemic	local	systemic
Oral				25					
				mg/kg/d					
Inhalation				2,1				10,4	
				mg/m3				mg/m3	
Skin				20,8				34,7	
				mg/kg/d				mg/kg/d	

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

None required.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387). ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties		Value
Appearance		aerosol
Colour		not available
Odour		characteristic
Melting point / freezing point		not available
Initial boiling point		not applicable
Flammability		incombustible
Lower explosive limit		1,8 % (v/v)
Upper explosive limit		9,5 % (v/v)
Flash point		Combustion not sustained.
Auto-ignition temperature	>	300 °C
Decomposition temperature pH		not available

Information

300 ml FA00811 - Deodorante Ambiente

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 6 / 11 Replaced revision:9 (Dated 11/10/2021) ΕN

SECTION 9. Physical and chemical properties/>>

	not available
Kinematic viscosity	not available
Solubility	soluble in water
Partition coefficient: n-octanol/water	not available
Vapour pressure	434,75 mbar
Density and/or relative density	0,84
Relative vapour density	not available
Particle characteristics	not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Flammable liquids Sustained combustibility

does not sustain combustion

9.2.2. Other safety characteristics

Total solids (250°C / 482°F)	0,48 %	
VOC (Directive 2010/75/EU)	33,23 % - 25.584,59	g/litre
VOC (volatile carbon)	27,37 % - 21.072,09	g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

Avoid overheating.

10.5. Incompatible materials

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

300 ml FA00811 - Deodorante Ambiente

SECTION 11. Toxicological information ... / >>

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

> Isobutano LC50 (Inhalation vapours):

570000 ppm/1h

>2000 mg/kg

Not classified (no significant component)

Not classified (no significant component)

SODIUM BENZOATE LD50 (Oral):

2100 mg/kg Rat

180 mg/kg Rat 5,5 mg/l/4h

SODIUM NITRITE LD50 (Oral): LC50 (Inhalation mists/powders):

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: Geraniol

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Excluded because the aerosol does not allow the accumulation of a significant amount of product in the mouth

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Dated 28/03/2022 Printed on 21/03/2024 Page n. 7 / 11 Replaced revision:9 (Dated 11/10/2021)

Revision nr.10

300 ml FA00811 - Deodorante Ambiente

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 8 / 11 Replaced revision:9 (Dated 11/10/2021)

Isobutano	
LC50 - for Fish	28 mg/l/96h
EC50 - for Crustacea	16,3 mg/l/48h
EC50 - for Algae / Aquatic Plants	8,6 mg/l/72h
SODIUM NITRITE	
LC50 - for Fish	0,79 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea	23,31 mg/l/48h Penaeus monodon
EC50 - for Algae / Aguatic Plants	159 mg/l/72h Tetraseimis chui

SECTION 12. Ecological information ... / >>

12.2. Persistence and degradability

SODIUM NITRITE Solubility in water Degradability: information not available	848000 mg/l
SODIUM BENZOATE Solubility in water Rapidly degradable	> 10000 mg/l
PROPANE Solubility in water Rapidly degradable	0,1 - 100 mg/l

12.3. Bioaccumulative potential

SODIUM NITRITE Partition coefficient: n-octanol/water	-3,7
SODIUM BENZOATE Partition coefficient: n-octanol/water	1,88
PROPANE Partition coefficient: n-octanol/water	1,09

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

300 ml FA00811 - Deodorante Ambiente

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 9 / 11 Replaced revision:9 (Dated 11/10/2021)

SECTION 14. Transport information

14.1. UN number or ID number

ADR / RID, IMDG, IATA: 1950

14.2. UN proper shipping name

ADR / RID:	AEROSOLS
IMDG:	AEROSOLS
IATA:	AEROSOLS, FLAMMABLE

14.3. Transport hazard class(es)

ADR / RID:	Class: 2	Label: 2.1	*
IMDG:	Class: 2	Label: 2.1	
IATA:	Class: 2	Label: 2.1	

14.4. Packing group

ADR / RID, IMDG, IATA:

14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA: NO

14.6. Special precautions for user

ADR / RID:

Point

IATA:

HIN - Kemler: --Special provision: -EMS: F-D, S-U Cargo: Passengers: Special provision: Limited Quantities: 1 L

18

Limited Quantities: 1 L Maximum quantity: 150 Kg Maximum quantity: 75 Kg A145, A167, A802 Tunnel restriction code: (D)

Packaging instructions: 203 Packaging instructions: 203

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

75

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

Restrictions relations	ng to the product	or contained substances	s pursuant to Annex	XVII to EC Regulation 1907/2006
Product				
Point	40			
Contained subst	ance			

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

<u>Substances in Candidate List (Art. 59 REACH)</u> On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%. EN

300 ml FA00811 - Deodorante Ambiente

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 10 / 11 Replaced revision:9 (Dated 11/10/2021)

SECTION 15. Regulatory information ... / >>

Substances subject to authorisation (Annex XIV REACH) None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls Information not available

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances Butano Isobutano

Isobutano

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Gas 1A	Flammable gas, category 1A
Aerosol 2	Aerosol, category 2
Aerosol 3	Aerosol, category 3
Ox. Sol. 2	Oxidising solid, category 2
Press. Gas (Liq.)	Liquefied gas
Press. Gas	Pressurised gas
Acute Tox. 3	Acute toxicity, category 3
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
H220	Extremely flammable gas.
H223	Flammable aerosol.
H229	Pressurised container: may burst if heated.
H272	May intensify fire; oxidiser.
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%

300 ml FA00811 - Deodorante Ambiente

Revision nr.10 Dated 28/03/2022 Printed on 21/03/2024 Page n. 11 / 11 Replaced revision:9 (Dated 11/10/2021)

SECTION 16. Other information ... / >>

- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02 / 09 / 16.